

Серия CPA

Винтовые маслозаполненные компрессоры с ременным приводом 5,5 - 15



Производство: Италия

CE - европейский сертификат

G3 - поколение 3

D - встроенный осушитель

Модель	Давление	FAD	Мощность	Шум	Габариты	Вес
	бар	л/мин	кВт	дБ(А)	мм	кг
На раме						
CPA7/8 400/50 CE G3	8	820	5.5	66	1095 x 642 x 1070	241
CPA7/10 400/50 CE G3	10	670	5.5	66	1095 x 642 x 1070	241
CPA7/13 400/50 CE G3	13	520	5.5	66	1095 x 642 x 1070	241
CPA10/8 400/50 CE G3	8	1153	7.5	66	1095 x 642 x 1070	246
CPA10/10 400/50 CE G3	10	1000	7.5	66	1095 x 642 x 1070	246
CPA10/13 400/50 CE G3	13	810	7.5	66	1095 x 642 x 1070	246
CPA15/8 400/50 CE G3	8	1665	11	69	1095 x 642 x 1070	266
CPA15/10 400/50 CE G3	10	1435	11	69	1095 x 642 x 1070	266
CPA15/13 400/50 CE G3	13	1210	11	69	1095 x 642 x 1070	266
CPA20/8 400/50 CE G3	8	1985	15	69	1095 x 642 x 1070	291
CPA20/10 400/50 CE G3	10	1771	15	69	1095 x 642 x 1070	291
CPA20/13 400/50 CE G3	13	1480	15	69	1095 x 642 x 1070	291
На раме + Осушитель						
CPA7/8 D 400/50 CE G3	8	820	5.5	66	1095 x 642 x 1070	271
CPA7/10 D 400/50 CE G3	10	670	5.5	66	1095 x 642 x 1070	271
CPA7/13 D 400/50 CE G3	13	520	5.5	66	1095 x 642 x 1070	271
CPA10/8 D 400/50 CE G3	8	1153	7.5	66	1095 x 642 x 1070	276
CPA10/10 D 400/50 CE G3	10	1000	7.5	66	1095 x 642 x 1070	276
CPA10/13 D 400/50 CE G3	13	810	7.5	66	1095 x 642 x 1070	276
CPA15/8 D 400/50 CE G3	8	1665	11	69	1095 x 642 x 1070	296
CPA15/10 D 400/50 CE G3	10	1435	11	69	1095 x 642 x 1070	296
CPA15/13 D 400/50 CE G3	13	1210	11	69	1095 x 642 x 1070	296
CPA20/8 D 400/50 CE G3	8	1985	15	69	1095 x 642 x 1070	321
CPA20/10 D 400/50 CE G3	10	1771	15	69	1095 x 642 x 1070	321

CPA20/13 D 400/50 CE G3	13	1480	15	69	1095 x 642 x 1070	321
Ресивер 270 л						
CPA7/8 270 400/50 CE G3	8	820	5.5	66	1150 x 642 x 1687	311
CPA7/10 270 400/50 CE G3	10	670	5.5	66	1150 x 642 x 1687	311
CPA7/13 270 400/50 CE G3	13	520	5.5	66	1150 x 642 x 1687	311
CPA10/8 270 400/50 CE G3	8	1153	7.5	66	1150 x 642 x 1687	316
CPA10/10 270 400/50 CE G3	10	1000	7.5	66	1150 x 642 x 1687	316
CPA10/13 270 400/50 CE G3	13	810	7.5	66	1150 x 642 x 1687	316
CPA15/8 270 400/50 CE G3	8	1665	11	69	1150 x 642 x 1687	334
CPA15/10 270 400/50 CE G3	10	1435	11	69	1150 x 642 x 1687	334
CPA15/13 270 400/50 CE G3	13	1210	11	69	1150 x 642 x 1687	334
CPA20/8 270 400/50 CE G3	8	1985	15	69	1150 x 642 x 1687	359
CPA20/10 270 400/50 CE G3	10	1771	15	69	1150 x 642 x 1687	359
CPA20/13 270 400/50 CE G3	13	1480	15	69	1150 x 642 x 1687	359
Ресивер 270 л +осушитель						
CPA7/8 270 D 400/50 CE G3	8	820	5.5	66	1150 x 642 x 1687	336
CPA7/10 270 D 400/50 CE G3	10	670	5.5	66	1150 x 642 x 1687	336
CPA7/13 270 D 400/50 CE G3	13	520	5.5	66	1150 x 642 x 1687	336
CPA10/8 270 D 400/50 CE G3	8	1153	7.5	66	1150 x 642 x 1687	341
CPA10/10 270 D 400/50 CE G3	10	1000	7.5	66	1150 x 642 x 1687	341
CPA10/13 270 D 400/50 CE G3	13	810	7.5	66	1150 x 642 x 1687	341
CPA15/8 270 D 400/50 CE G3	8	1665	11	69	1150 x 642 x 1687	361
CPA15/10 270D 400/50 CE G3	10	1435	11	69	1150 x 642 x 1687	361
CPA15/13 270 D 400/50 CE G3	13	1210	11	69	1150 x 642 x 1687	361
CPA20/8 270 D 400/50 CE G3	8	1985	15	69	1150 x 642 x 1687	386
CPA20/10 270 D 400/50 CE G3	10	1771	15	69	1150 x 642 x 1687	386
CPA20/13 270 D 400/50 CE G3	13	1480	15	69	1150 x 642 x 1687	386
Ресивер 500 л						
CPA7/8 500 400/50 CE G3	8	820	5.5	66	1935 x 642 x 1689	396
CPA7/10 500 400/50 CE G3	10	670	5.5	66	1935 x 642 x 1689	396
CPA7/13 500 400/50 CE G3	13	520	5.5	66	1935 x 642 x 1689	396
CPA10/8 500 400/50 CE G3	8	1153	7.5	66	1935 x 642 x 1689	401
CPA10/10 500 400/50 CE G3	10	1000	7.5	66	1935 x 642 x 1689	401
CPA10/13 500 400/50 CE G3	13	810	7.5	66	1935 x 642 x 1689	401
CPA15/8 500 400/50 CE G3	8	1665	11	69	1935 x 642 x 1689	419
CPA15/10 500 400/50 CE G3	10	1435	11	69	1935 x 642 x 1689	419
CPA15/13 500 400/50 CE G3	13	1210	11	69	1935 x 642 x 1689	419
CPA20/8 500 400/50 CE G3	8	1985	15	69	1935 x 642 x 1689	444
CPA20/10 500 400/50 CE G3	10	1771	15	69	1935 x 642 x 1689	444
CPA20/13 500 400/50 CE G3	13	1480	15	69	1935 x 642 x 1689	444
Ресивер 500 л +осушитель						
CPA7/8 500 D 400/50 CE G3	8	820	5.5	66	1935 x 642 x 1689	421
CPA7/10 500 D 400/50 CE G3	10	670	5.5	66	1935 x 642 x 1689	421
CPA7/13 500 D 400/50 CE G3	13	520	5.5	66	1935 x 642 x 1689	421
CPA10/8 500 D 400/50 CE G3	8	1153	7.5	66	1935 x 642 x 1689	426
CPA10/10 500 D 400/50 CE G3	10	1000	7.5	66	1935 x 642 x 1689	426
CPA10/13 500 D 400/50 CE G3	13	810	7.5	66	1935 x 642 x 1689	426

CPA15/8 500 D 400/50 CE G3	8	1665	11	69	1935 x 642 x 1689	446
CPA15/10 500 D 400/50 CE G3	10	1435	11	69	1935 x 642 x 1689	446
CPA15/13 500 D 400/50 CE G3	13	1210	11	69	1935 x 642 x 1689	446
CPA20/8 500 D 400/50 CE G3	8	1985	15	69	1935 x 642 x 1689	471
CPA20/10 500 D 400/50 CE G3	10	1771	15	69	1935 x 642 x 1689	471
CPA20/13 500 D 400/50 CE G3	13	1480	15	69	1935 x 642 x 1689	471



кВт



Соед. G	Партномер
G 3/4"	4152016000
G 3/4"	4152016001
G 3/4"	4152016002
G 3/4"	4152016003
G 3/4"	4152016004
G 3/4"	4152016005
G 3/4"	4152016006
G 3/4"	4152016007
G 3/4"	4152016008
G 3/4"	4152016009
G 3/4"	4152016010
G 3/4"	4152016011
G 3/4"	4152016048
G 3/4"	4152016049
G 3/4"	4152016050
G 3/4"	4152016051
G 3/4"	4152016052
G 3/4"	4152016053
G 3/4"	4152016054
G 3/4"	4152016055
G 3/4"	4152016056
G 3/4"	4152016057
G 3/4"	4152016058

G 3/4"	4152016059
G 3/4"	4152016096
G 3/4"	4152016097
G 3/4"	4152016098
G 3/4"	4152016099
G 3/4"	4152016100
G 3/4"	4152016101
G 3/4"	4152016102
G 3/4"	4152016103
G 3/4"	4152016104
G 3/4"	4152016105
G 3/4"	4152016106
G 3/4"	4152016107
G 3/4"	4152016204
G 3/4"	4152016205
G 3/4"	4152016206
G 3/4"	4152016207
G 3/4"	4152016208
G 3/4"	4152016209
G 3/4"	4152016210
G 3/4"	4152016211
G 3/4"	4152016212
G 3/4"	4152016213
G 3/4"	4152016214
G 3/4"	4152016215
G 3/4"	4152016144
G 3/4"	4152016145
G 3/4"	4152016146
G 3/4"	4152016147
G 3/4"	4152016148
G 3/4"	4152016149
G 3/4"	4152016150
G 3/4"	4152016151
G 3/4"	4152016152
G 3/4"	4152016153
G 3/4"	4152016154
G 3/4"	4152016155
G 3/4"	4152016252
G 3/4"	4152016253
G 3/4"	4152016254
G 3/4"	4152016255
G 3/4"	4152016256
G 3/4"	4152016257

G 3/4"	4152016258
G 3/4"	4152016259
G 3/4"	4152016260
G 3/4"	4152016261
G 3/4"	4152016262
G 3/4"	4152016263